
deltascope Documentation

Release 0.2.6

Morgan Schwartz

Feb 12, 2019

Contents

1	Features	1
2	Installation	3
3	Support	5
4	Contribute	7
5	License	9
6	Contents	11
6.1	Start Here	11
6.2	Data Preparation	12
6.3	deltascopes Data Processing	13
6.4	Landmark Calculation	18
6.5	Sample Classification	21
6.6	Checklist	22
6.7	Parameter Reference	22
6.8	Useful Resources	24
6.9	Frequently Asked Questions	24
6.10	Batch Processing: Transformation	25
6.11	API	26
7	Indices and tables	39
	Python Module Index	41

CHAPTER 1

Features

- Compare sets of 3D biological images to identify differences
- Automatically align the structure in the image to correct for variation introduced during mounting and imaging
- Generate descriptive graphs that quantify both the average and variation of the data
- Use machine learning techniques to classify samples and identify regions of statistically significant difference

Check out [Start Here](#) to find out if deltascope is right for you.

CHAPTER 2

Installation

Package hosted on [PyPI](#). See [Start Here](#) for more information.

```
$ pip install deltascope
```


CHAPTER 3

Support

- Complete documentation is available on [Read the Docs](#).
- Check out the [Frequently Asked Question](#) page.
- Submit an issue describing a problem or question on the project's Github [issue tracker](#).

CHAPTER 4

Contribute

- Issue Tracker: <https://github.com/msschwartz21/deltascope/issues>
- Source Code: <https://github.com/msschwartz21/deltascope>

CHAPTER 5

License

This project is licensed under the GNU General Public License.

6.1 Start Here

6.1.1 Is deltascope right for you?

deltascope may be able to help you if:

- your data consists of a set of 3D image stacks
- your data contains a clear structure and shape that has consistent gross morphology between control and experimental samples
- you want to identify extreme or subtle differences in the structure between your experimental groups
- you have up to 4 different channels to compare

deltascope cannot help if:

- your data was collected using cryosections that need to be aligned after imaging
- your experiment changes the gross anatomy of the structure between control and experimental samples

6.1.2 Installation

deltascope can be installed using [pip](#), Python's package installer. Some deltascope dependencies are not available through pip, so we recommend that you install [Anaconda](#) which automatically includes and installs the remaining dependencies. See [Setting up a Python environment](#) for more details.

```
$ pip install deltascope
```

Note: If you are unfamiliar with the command line, check out [this tutorial](#). Additional resources regarding the command line are available [here](#).

Warning: Packages required for deltascope depend on Visual C++ Build Tools, which can be downloaded at [build tools](#).

6.1.3 Setting up a Python environment

If you're new to scientific computing with Python, we recommend that you install [Anaconda](#) to manage your Python installation. Anaconda is a framework for scientific computing with Python that will install important packages ([numpy](#), [scipy](#), and [matplotlib](#)).

Warning: deltascope is written in Python 3, and requires the installation the Python 3 version of Anaconda.

6.2 Data Preparation

6.2.1 Biological Questions

deltascope compares biological structures in three dimensions in order to preserve spatial relationship data that is lost in maximum intensity projections (MIPs). In order to apply deltascope to a new biological structure, certain conditions must be satisfied:

1. The gross morphology of the structure must be roughly consistent between samples.
2. The x, y, and z dimensions of the structure cannot be too similar in extent. For example, in the spinal cord, the anterior-posterior axis is the longest and the medial-lateral axis is the smallest with the dorsal-ventral axis falling between these two dimensions. The different proportional sizes of these axes enables us to consistently align the structure in 3D space regardless of the sample's orientation during image collection.
3. The gross morphology of the structure can be described with a simple polynomial equation. For example, the spinal cord can be described by a line that falls at the midline of the medial-lateral axis: $y = mx + b$.

6.2.2 File Format

Most microscopes save data in their own proprietary data format: for example, Zeiss, `.czi`; Leica, `.lif`. In order to ensure that image data is legible to all components of the workflow, files need to be converted to the [HDF5](#) (`.h5`) format specified by ImageJ. This conversion can be easily executed in [Fiji](#) using the [BioFormats](#) plugin to import proprietary file formats and the [HDF5 plugin](#) to export HDF5 files. Multichannel collections need to be split into individual channels before being saved as HDF5 files, with coherent file names utilized to preserve file history.

6.2.3 Signal Normalization

Biological fluorescence microscopy data contains variation in signal intensity due to both biological and technical error. For example, the top of the sample is frequently brighter than the bottom because it is closer to the objective and also has not been as bleached by the collection of previous optical sections. If we were to try to select the set of points that represent 'true signal' by applying a single intensity threshold, points that represent background at the top of the stack may have the same intensity as points of true signal at the bottom of the stack.

We have implemented an adaptive thresholding protocol that avoids these challenges, utilizing the open-source software, [Ilastik](#). This software uses machine learning principles in order to predict the likelihood that a particular pixel contains true signal. The probability is calculated based on user annotation of images, in which regions of true signal and background are labeled. This protocol allows the user to apply their domain knowledge of the sample in order to

best distinguish signal from background. Tutorials describing how to install and implement [Ilastik's pixel classification workflows](#) are available on [Ilastik's website](#).

6.3 deltascopes Data Processing

Note: This guide will describe a set of parameters that the user needs to specify when running deltascopes. A complete list of all parameters is available on the [Parameter Reference](#) page.

6.3.1 Intensity Thresholding

Goal

At this point, each sample/channel should have been processed by Ilastik to create a new `c1_10_Probabilities.h5` file. If you open this file in Fiji utilizing the Fiji HDF5 plugin, it should contain three dimensions and two channels (signal and background, but for our purposes the two are interchangeable). Each pixel should have a value ranging between 0 and 1. If we are inspecting the signal channel, pixels with a value close to 0 (low p value) are highly likely to be true signal. Correspondingly, pixels with a value close to 1 are likely to be background. The `c1_10_Probabilities.h5` file by Ilastik contains two channels (signal and background), which are inverse images. For a given pixel, the background intensity value is 1 minus the signal intensity value. In order to simplify our data, we will apply a threshold that will divide the data into two sets of pixels: signal and background. In the steps that follow, we will only use the set of pixels that correspond to true signal. This set of pixels may be also referred to as a set of points or a point cloud. In order to avoid keeping track of which channel is the signal channel, we assume that after applying a threshold there will be more points will fall in the background group than in the signal group. If this is not true, better Ilastik training or a stricter threshold is recommended, or deltascopes will instead be examining the structure of your background.

Warning: If your data contains more points of signal than background, deltascopes will select your background channel as the signal channel. In order to correct this assumption, the inequality in `brain.read_data()` will need to be changed to equate a large number of points with signal instead of background.

Setting Parameters

In order to divide the image into two sets of pixels (signal and background), we use a parameter, `genthresh`, to determine which group the pixels fall into. We have found that a value of 0.5 is sufficient to divide the data and have not found that the results vary greatly if it is changed; however, if your data contains a lot of intermediate background values (0.4-0.7), you may benefit from a smaller threshold, e.g. 0.3.

The following code requires a parameter `micron`, which specifies the dimensions of the image voxel in microns. It is a list of the form `[x, y, z]`. This information can typically be found in the metadata of a microscope collection file.

This section of the code also includes a deprecated parameter `scale`, which must be set to `[1, 1, 1]`.

Code Instructions

The following instructions apply to processing a single sample. Details regarding function parameters can be found under `embryo` and `brain.preprocess_data()`. Raw image data will be imported by `embryo.add_channel()`.

```
import deltascope

#Create an embryo object that facilitates data processing
e = deltascope.embryo(experiment-name, sample-number, directory)

#For each channel in your sample, add a channel with a unique name, e.g. 'c1' or 'c2'
e.add_channel(c1-filepath, c1-name)
e.add_channel(c2-filepath, c2-name)

#Threshold each channel and scale points according to voxel dimension in microns
e.chnls[c1-name].preprocess_data(genthresh, scale, microns)
e.chnls[c2-name].preprocess_data(genthresh, scale, microns)
```

6.3.2 Sample alignment using principle component analysis (PCA)

Goal

Principle Component Analysis

During typical collections of biological samples, each sample will be oriented slightly differently in relation to the microscope due to variations in the shape and size of the sample as well as human error during the mounting process. As a result of this variation, we cannot directly compare samples in 3D space without realigning them. We have implemented principle component analysis in order to automate the process of alignment without a need for human supervision. Fig. 6.1 shown below illustrates how PCA can be used to align a set of points in 2D. deltascope uses the same process in 3D to identify biologically meaningful axes present in biological structures.




Fig. 6.1: Principle component analysis (PCA) can be used to identify and align samples along consistent axes. (1) In 2D, PCA first selects the axis that captures the most variability in the data (1st PC). The 2nd PC is selected in a position orthogonal to the 1st PC that captures the remaining variation in the data. (2) The data are then rotated so that the 1st and 2nd PCs correspond with x and y axes respectively. (3) Finally, we have added a step of identifying the center of the data and shifting it to the origin.

Structural Channel Processing

We designate one channel, the `structural` channel, which we will use for PCA to align samples. Since we are interested in the gross morphology of this channel, we apply two data preprocessing steps to reduce the data down to only essential points. First, we return to `brain.raw_data` and apply a new threshold, `medthresh`, which is typically more stringent than `genthresh`. This step ensures we are only considering points of signal with extremely

high likelihood of being real. Second, we apply a median filter to the data twice, which smooths out the structure and eliminates small points of variation that may interfere with the alignment process of the gross structure.

PCA outputs three new dimensions, the 1st, 2nd, and 3rd PCs. These components will be reassigned to the X, Y, and Z axes to help the user maintain orientation in regards to their data. In the case of the zebrafish post-optic commissure shown below (Fig. 6.2), the 1st PC is reassigned to the X axis and the 2nd and 3rd PCs are assigned to Z and Y respectively. These assignments honor the user's expectation of the sample's alignment in 3D space. The assignment of components to axes can be modified using the parameter `comporder`.

Warning: In order for PCA to consistently align your samples in the same orientation, we are assuming that the three dimensions of your structure are of different relative sizes. Since PCA looks for the axes that capture the most variation in your data, a sample that has axes of the same relative size will not have any distinguishing characteristics that PCA can use to identify and separate different axes.




Fig. 6.2: This example illustrates the efficacy of PCA at changing the orientation of the zebrafish post optic commissure. In this case, the 1st PC is significantly longer than the 2nd and 3rd. While these two remaining components are similar in size, the typically longer depth of the 2nd PC distinguishes it from the 3rd PC.

Model Fitting

In addition to rotating the orientation of the data in 3D space, we also want to align the center of all samples at the origin. In order to determine the center of the data, we fit a simple mathematical model to the data that will also be used later in the analysis. The zebrafish post optic commissure shown above forms a parabolic structure, which can be described by $y = ax^2 + bx + c$. For simplicity, we fit the model in two dimensions, while holding one dimension constant. In the case of the POC, the parabolic structure lies flat in the XZ plane, which means that the structure can be described using exclusively the X and Z dimensions. The dimensions, which will be used to fit the 2D model, are

specified in the parameter `fitdim`. Additionally the `deg` parameter specifies the degree of the function that fits to the data.

Setting Parameters

`medthresh` is typically set to 0.25, in comparison to a value of 0.5 for `genthresh`. If your data contains aberrant signal that does not contribute to the gross morphology of the structure, an even lower `medthresh` may help limit the negative influence of noisy signal. Additionally, the `radius` of the median filter can also be tuned to eliminate noisy signal. The typical value for `radius` is 20, which refers to the number of neighboring points that are considered in the median filter. A smaller value for `radius` will preserve small variation in signal, while a larger value will cause even more blunting and smoothing of the data. Prior to running the median threshold, it is recommended that the user load several HDF5 files containing the structure of interest into FIJI and test several median thresholds to determine which best resolves their structure. Utilize the best median threshold radius in `radius`.

The `comporder` parameter controls how principle components are reassigned to the typical Cartesian coordinate system (XYZ) that most users are familiar with. It takes the form of an array of length 3 that specifies the index of the component that will be assigned to the X, Y, or Z axis: `[x index, y index, z index]`. Please note that the index that matches each principle component starts counting at 0, e.g. 1st PC = 0, 2nd PC = 1, and 3rd PC = 2. For example, if we want to assign the 1st PC to the x axis, the 2nd to the Z axis, and the 3rd to the y axis, the `comporder` parameter would be `[0, 2, 1]`.

Finally, the remaining two parameters determines how the model will be fit to the data. `fitdim` determines which 2 axes will be used to fit the 2D model. It takes the form of a list of 2 of the 3 dimensions specified as a lowercase string, e.g. `'x', 'y', 'z'`. If we wanted to fit a model in the XZ plane, while holding the Y axis constant, the `fitdim` parameter would be `['x', 'z']`. `deg` specifies the degree of the function that will be fit to the data. The default is 2, which specifies a parabolic function. A deg of 1 would fit a linear function, eg. $y=mx + b$.

Warning: The ability to specify degrees other than 2 is still being developed. Check [here](#) for updates.

Code Instructions

```
#Run PCA on the structural channel, in this case, c1
e.chnls['c1'].calculate_pca_median(e.chnls['c1'].raw_data,medthresh,radius,microns)

#Save the pca object that includes the transformation matrix
pca = e.chnls['c1'].pcamed

#Transform the structural channel using the saved pca object
e.chnls['c1'].pca_transform_3d(e.chnls['c1'].df_thresh,pca,comporder,fitdim,deg=2)

#Save the mathematical model and vertex (center point) of the structural channel
mm = e.chnls['AT'].mm
vertex = e.chnls['AT'].vertex

#Transform any additional channels using the pca object calculated based on the
↳ structural channel
e.chnls['c2'].pca_transform_3d(e.chnls['c2'].df_thresh,pca,comporder,fitdim,deg=2,
↳ mm=mm,vertex=vertex)
```

6.3.3 Cylindrical Coordinates

Goal

The ultimate goal with this workflow of data processing is to enable us to study small differences in biological 3D structures when comparing a set of control samples to experimental samples. While our samples are now aligned to all fall in the same region of 3D space, our points are still defined by the xyz coordinates defined by the microscope. In order to detect changes in our structure, we will define the position of points relative to the structure using a cylindrical coordinate system. We will rely on the previously defined mathematical model, *brain.mm*, to represent the underlying shape of our structure. From there we will define the position of each point relative to the mathematical model (Fig. 6.3). The first dimension, R , is defined as the shortest distance between the point and the model. Second, α is defined as the distance from the point's intersection with the model to the midline or center of the structure. Third, the position of the point around the model is defined in θ . Following the completion of the transformation, the final dataset is saved to a .psi file.




Fig. 6.3: To enable analysis of data point relative to a biological structure, points are transformed from a Cartesian coordinate system (x,y,z) into a cylindrical coordinate system (α,θ,R) defined relative to the structure.

Code Instructions

This transformation does not require defining any parameters; however, it assumes the data has already been thresholded and aligned using PCA.

```
#Transform each channel to cylindrical coordinates
e.chnls['c1'].transform_coordinates()
e.chnls['c2'].transform_coordinates()

#Save processed data to .psi file
e.save_psi()
```

Warning: This processing step is time consuming. We recommend running multiple samples in parallel in order to reduce the total amount of computational time required.

6.3.4 Batch Processing

In order to reduce processing time, we have implemented a basic multiprocessing tool that runs 5 samples in parallel at a time. For more information, see [Batch Processing: Transformation](#).

6.4 Landmark Calculation

Following the steps described in [deltascope Data Processing](#), your data should be saved as a set of `.psi` files containing 6 values for each point: `x,y,z,alpha,r,theta`. Depending on the size and resolution of your original image, you will have thousands of points, which are unwieldy when you are trying to compare sample sets with several images. In order to reduce the size of the data and facilitate direct comparison, we calculate a set of landmarks that describe the data.

6.4.1 What is a landmark?

Landmark points are frequently used in the study of morphology to describe and compare structures. Classically, an individual with expert knowledge of the structure would define a set of points that are present in all structures, but subject to variation. For example, in the human face, landmarks might be placed at the corners of the eyes and mouth as well as the tip of the nose. If we were to compare many different faces, we could use the difference in the position of the landmarks to describe how the faces varied.

6.4.2 Unbiased Landmarks

The challenge with the classical approach to landmark analysis lies in the step of assigning landmarks. If an expert user is selecting regions of the structure to assign landmarks to, they are projecting their own expectations as to where they expect to see variation. We have developed a method of automatically calculating landmarks that describe the structure without bias and allow the user to discover new regions of interest.

6.4.3 How are landmarks calculated?

The calculation of unbiased landmarks relies on *Cylindrical Coordinates* that were previously defined (Fig. 6.3). First, the data is divided into equally sized sections along the alpha axis (Fig. 6.4.1). The user specifies the number of divisions `anum` and the data is divided accordingly. Next, each alpha subdivision is divided into radial wedges (Fig. 6.4.2) according to the parameter `tsize`, which specifies the size of each wedge. Finally, the distribution of points in the `r` axis is calculated according to the percentiles specified by the user in `percbins` (Fig. 6.4.3). Following these three steps, each subdivision can be represented by a single point that describes the distribution of the data in all three dimensions (Fig. 6.4.4) For more information on these parameters, see [Landmark Calculation](#).

Code Sample

```
import deltascope
import numpy as np

anum = 30
tstep = np.pi/4

#Create a landmark object
lm = deltascope.landmarks(percbins=[50],rnull=15)
lm.calc_bins(dfs, anum, tstep)
```

(continues on next page)




Fig. 6.4: In order to calculate landmarks, we will subdivide the data along the alpha and theta axes before calculating the r value that describes the distribution of the data.

(continued from previous page)

```
#Calculate landmarks for each sample and append to a single dataframe
outlm = pd.DataFrame()
for k in dfs.keys():
    outlm = lm.calc_perc(dfs[k],k,'stype',outlm)
```

6.4.4 Selecting anum

The `anumSelect` can be used to identify the optimum number of sections along alpha. We use two measure of variance to test a range of `anum`. The first test compares the variance of adjacent landmark wedges. The second test compares the variability of samples in a landmark. As shown in Fig. 6.5, the optimum value of `anum` minimizes the variance of both tests.




Fig. 6.5: We select the value of `anum` that minimizes both the bin variance and the sample variance.

Code Sample

```
import deltascope
#Create a optimization object
```

(continues on next page)

(continued from previous page)

```

opt = deltascope.anumSelect(dfs)

tstep = np.pi/4

#Initiate parameter sweep
opt.param_sweep(tstep, amn=2, amx=50, step=1, percbins=[50], rnull=15)

#Plot raw data
opt.plot_rawdata()

poly_degree = 4

#Test polynomial fit
opt.plot_fitted(poly_degree)

best_guess = 30

#Find the optimum value of anum
opt.find_optimum_anum(poly_degree, best_guess)

```

6.4.5 Graphing Landmark Data

In order to facilitate easy visualization, the `graphSet` and `graphData` classes manage graphing commands and any necessary data transformation.

Todo: Code sample for graphing functions

6.5 Sample Classification

6.5.1 Goal

Previously we went through the process of calculating *landmarks* in order to identify a reduced set of point that are comparable between samples. In order to learn more about which points distinguish control samples from experimental samples, we can build a statistical model that will use landmarks to classify control and experimental. After we have developed a classification model, we can look at which landmarks were most important for classification and use this information to identify regions of biological difference.

6.5.2 Dimensionality Reduction

Currently, your dataset may have several hundred landmark points that describe the shape and variability of the data. However, it is likely that the number of landmark points outnumbers the number of samples. Statistical modeling techniques are most effective when the number of points is smaller than the number samples that are training the model. In this situation we can think of each landmark point as a dimension of the data. In order to reduce the dimensionality of the data (e.g. the number of landmark points), we will use principle component analysis (PCA) to identify a reduced set of components (new dimensions) that capture all of the variability that is present in the landmark points. Each component is a mixture of landmark points with some points having greater influence than others.

6.5.3 Coding Instructions

```
import deltaxcope
import pandas as pd

#Read csv file that contains landmark data for both sample groups
df = pd.read_csv(landmark_file)

#Create the tree classifier object
tc = deltaxcope.treeClassifier(df)

#Apply pca to automatically reduce the dimensionality to the optimum number of_
↳dimensions
tc.apply_pca()

#Fit the classifier based on landmarks
tc.fit_classifier()

#Visualize the landmarks that had the highest impact on the classifier
tc.plot_top_components(index=10)
```

6.6 Checklist

1. Convert data to HDF5 files containing a single sample/channel per file
2. Train Ilastik on each channel and process all files to create ‘_Probability.h5’ files

6.7 Parameter Reference

6.7.1 Transformation

genthresh

This parameter defines the cutoff point that will divide the *brain.raw_data* into a set of true signal points and background points based on the probability that each point is true signal. The *_Probabilities.h5* dataset is generated after running the Ilastik pixel classification workflow described in *Signal Normalization*. Pixels with a value of 1 are likely to be background. Correspondingly, pixels with a value close to 0 are most likely to be true signal. We have found that a threshold of 0.5 is sufficient to divide true signal from background; however, if your data contains a lot of intermediate background values (0.4-0.7), you may benefit from a smaller threshold, e.g. 0.3.

Recommended: 0.5

microns

This parameter is a list of the form $[x, y, z]$ that specifies the dimensions of the voxel in microns. The data in *brain.raw_data* is scaled by *microns* to control for datasets in which the z dimension is larger than the x and y dimensions.

Example: $[0.16, 0.16, 0.21]$

scale

This is a deprecated parameter that should always be set to $[1, 1, 1]$.

Required: $[1, 1, 1]$

medthresh

This parameter serves the same purpose as *genthresh*; however, it is used exclusively on data used for aligning samples using PCA. This threshold is typically more stringent than *genthresh* to ensure that any noise in the data does not interfere with the alignment process.

Recommended: 0.25

radius

The *radius* of the median filter can be tuned to eliminate noisy signal. The typical value for *radius* is 20, which refers to the number of neighboring points that are considered in the median filter. A smaller value for *radius* will preserve small variation in signal, while a larger value will cause even more blunting and smoothing of the data.

Recommended: 20

comporder

This parameter controls how principle components are reassigned to the typical Cartesian coordinate system (XYZ) that most users are familiar with. It takes the form of an array of length 3 that specifies the index of the component that will be assigned to the X, Y, or Z axis: `[x index, y index, z index]`. Please note that the index that matches each principle component starts counting at 0, e.g. 1st PC = 0, 2nd PC = 1, and 3rd PC = 2.

For example, if we want to assign the 1st PC to the x axis, the 2nd to the Z axis, and the 3rd to the y axis, the *comporder* parameter would be `[0, 2, 1]`.

Example: `[0, 2, 1]`

fitdim

This parameter determines which 2 axes will be used to fit the 2D model. It takes the form of a list of 2 of the 3 dimensions specified as a lowercase string, e.g. `'x', 'y', 'z'`.

If we wanted to fit a model in the XZ plane, while holding the Y axis constant, the *fitdim* parameter would be `['x', 'z']`.

Example: `['x', 'z']`

deg

This parameter specifies the degree of the function that will be fit to the data. The default is 2, which specifies a parabolic function. A deg of 1 would fit a linear function.

Default: 2

Warning: The infrastructure to support degrees other than 2 is not currently in place. Check [here](#) for updates.

6.7.2 Landmark Calculation

anum

This integer specifies the number of divisions along the alpha axis when calculating landmarks. See *Selecting anum* for guidance on setting this parameter.

Example: 20

tsize

This parameter sets the size of each radial wedge in the landmark calculation. The program works in radians so this parameter should be a float that can evenly divide into 2Pi. We have found that Pi/4 (45°) is a biologically appropriate division for our typical structures.

Example: 0.79

percbins

This parameter is a list of integers that specifies what percentile should be used to calculate the distribution of points along `r`.

Example: `[50]`

6.8 Useful Resources

6.8.1 Command line tutorials

- A basic introduction to the command line interface
- An introduction to the command line interface for windows Powershell
- An introduction to the command line interface for Linux and MacOS Bash

6.8.2 Pip package installer

- An introduction to pip python's package installer
- A discussion of the differences of pip and conda the package manager that accompanies Anaconda

6.8.3 Version control with Git and Github

- A very basic introduction to git and version control
- A discussion of why and how to use Github
- A cheat sheet for running Git from the command line

6.8.4 Jupyter Notebook

- A cheat sheet for using Jupyter Notebook

6.9 Frequently Asked Questions

6.9.1 My file paths are causing errors?

Try changing each individual slash in your path to have two slashes.

6.9.2 What is a `.psi` file?

A `.psi` file is similar in structure to a comma separated value (`.csv`) file with the addition of header text that defines metadata for the file. For example:

```
# PSI Format 1.0
#
# column[0] = "Id"
# column[1] = "x"
# column[2] = "y"
# column[3] = "z"
# column[4] = "ac"
# symbol[4] = "A"
# type[4] = float
# column[5] = "r"
# symbol[5] = "R"
# type[5] = float
# column[6] = "theta"
# symbol[6] = "T"
# type[6] = float
52337 0 0
1 0 0
0 1 0
0 0 1
```

6.10 Batch Processing: Transformation

`mp-transformation.py` can be run from the command line after setting parameters in `mp-transformation-config.json`. When you run the script, you only need to provide the path to the config file as an argument

```
$ python mp-transformation.py "C:\\path\\to\\mp-transformation-config.json"
```

In addition to the parameters described in [Parameter Reference](#), `mp-transformation-config.json` requires a set of additional parameters:

rootdir

Required: String specifying the complete path to a directory where an output folder should be created

expname

Required: String specifying the experiment name that will be incorporated into output files

c1-dir

Required: String specifying the path to the directory containing the `_Probabilities.files` for the structural channel

c1-key

Required: String that will serve as a key for the structural channel and will name the output files

c2-dir

Optional: Same as `c1-dir`, but for an additional channel

c2-key

Optional: Same as `c1-key`, but for an additional channel

c3-dir

Optional: Same as `c1-dir`, but for an additional channel

c3-key

Optional: Same as `c1-key`, but for an additional channel

c4-dir

Optional: Same as `c1-dir`, but for an additional channel

c4-key

Optional: Same as *c1-key*, but for an additional channel

twoD

A boolean value that specifies, which PCA transformation functions will be used.

True: `brain.calculate_pca_median_2d()` and `brain.pca_transform_2d()` will be used to hold one axis constant, while the other two are realigned with PCA

False: `brain.calculate_pca_median()` and `brain.pca_transform_3d()` will be used to transform and realign samples in all three dimensions

6.10.1 API

class `deltascopes.mpTransformation.paramsClass` (*path*)

A class to read and validate parameters for multiprocessing transformation. Validated parameters can be read as attributes of the object

add_outdir (*path*)

Add out directory as an attribute of the class

Parameters *path* (*str*) – Complete path to the output directory

check_config (*D*, *path*)

Check that each parameter in the config file is correct and raise an error if it isn't

Parameters

- *D* (*dict*) – Dictionary containing parameters from the config file
- *path* (*str*) – Complete filepath to the config file

`deltascopes.mpTransformation.check_nums` (*P*)

Check that the numbers of files selected by the same list index match Raises an error if file numbers are mismatched

:param paramClass *P*: Object containing all variables from config file

`deltascopes.mpTransformation.process` (*num*, *P=None*)

Run through the processing steps for a single sample through saving psi files

Parameters *num* (*int*) – Index of the file that is currently being processed

:param paramClass *P*: Object containing all variables from config file

6.11 API

class `deltascopes.brain`

Object to manage biological data and associated functions.

setup_test_data (*size=None*, *gthresh=0.5*, *scale=[1, 1, 1]*, *microns=[0.16, 0.16, 0.21]*, *mthresh=0.2*, *radius=20*, *comp_order=[0, 2, 1]*, *fit_dim=['x', 'z']*, *deg=2*)

Setup a test dataset to use for testing transform coordinates :param int *size*: Number of points to sample for the test dataset

read_data (*filepath*)

Reads 3D data from file and selects appropriate channel based on the assumption that the channel with the most zeros has zero as the value for no signal

Parameters *filepath* (*str*) – Filepath to hdf5 probability file

Returns Creates the variable `brain.raw_data`

raw_data

Array of shape [z,y,x] containing raw probability data

create_dataframe (*data, scale*)

Creates a pandas dataframe containing the x,y,z and signal/probability value for each point in the `brain.raw_data` array

Parameters

- **data** (*array*) – Raw probability data in 3D array
- **scale** (*array*) – Array of length three containing the micron values for [x,y,z]

Returns Pandas DataFrame with xyz and probability value for each point

plot_projections (*df, subset*)

Plots the x, y, and z projections of the input dataframe in a matplotlib plot

Parameters

- **df** (*pd.DataFrame*) – Dataframe with columns: 'x','y','z'
- **subset** (*float*) – Value between 0 and 1 indicating what percentage of the df to sub-sample

Returns Matplotlib figure with three labeled scatterplots

preprocess_data (*threshold, scale, microns*)

Thresholds and scales data prior to PCA

Creates `brain.threshold`, `brain.df_thresh`, and `brain.df_scl`

Parameters

- **threshold** (*float*) – Value between 0 and 1 to use as a cutoff for minimum pixel value
- **scale** (*array*) – Array with three values representing the constant by which to multiply x,y,z respectively
- **microns** (*array*) – Array with three values representing the x,y,z micron dimensions of the voxel

threshold

Value used to threshold the data prior to calculating the model

df_thresh

Dataframe containing only points with values above the specified threshold

df_scl

Dataframe containing data from `brain.df_thresh` after a scaling value has been applied

process_alignment_data (*data, threshold, radius, microns*)

Applies a median filter twice to the data which is used for alignment

Ensures than any noise in the structural data does not interfere with alignment

Parameters

- **data** (*array*) – Raw data imported by the function `brain.read_data()`
- **threshold** (*float*) – Value between 0 and 1 to use as a cutoff for minimum pixel value
- **radius** (*int*) – Integer that determines the radius of the circle used for the median filter

- **microns** (*array*) – Array with three values representing the x,y,z micron dimensions of the voxel

Returns Dataframe containing data processed with the median filter and threshold

calculate_pca_median (*data, threshold, radius, microns*)

Calculate PCA transformation matrix, *brain.pcamed*, based on data (*brain.pcamed*) after applying median filter and threshold

Parameters

- **data** (*array*) – 3D array containing raw probability data
- **threshold** (*float*) – Value between 0 and 1 indicating the lower cutoff for positive signal
- **radius** (*int*) – Radius of neighborhood that should be considered for the median filter
- **microns** (*array*) – Array with three values representing the x,y,z micron dimensions of the voxel

median

Pandas dataframe containing data that has been processed with a median filter twice and thresholded

pcamed

PCA object managing the transformation matrix and any resulting transformations

calculate_pca_median_2d (*data, threshold, radius, microns*)

Calculate PCA transformation matrix for 2 dimensions of data, *brain.pcamed*, based on data after applying median filter and threshold

Warning: *fit_dim* is not used to determine which dimensions to fit. Defaults to x and z

Parameters

- **data** (*array*) – 3D array containing raw probability data
- **threshold** (*float*) – Value between 0 and 1 indicating the lower cutoff for positive signal
- **radius** (*int*) – Radius of neighborhood that should be considered for the median filter
- **microns** (*array*) – Array with three values representing the x,y,z micron dimensions of the voxel

pca_transform_2d (*df, pca, comp_order, fit_dim, deg=2, mm=None, vertex=None, flip=None*)

Transforms *df* in 2D based on the PCA object, *pca*, whose transformation matrix has already been calculated

Calling *brain.align_data()* creates *brain.df_align*

Warning: *fit_dim* is not used to determine which dimensions to fit. Defaults to x and z

Parameters

- **df** (*pd.DataFrame*) – Dataframe containing thresholded xyz data
- **pca** (*pca_object*) – A *pca* object containing a transformation object, e.g. *brain.pcamed*

- **comp_order** (*array*) – Array specifies the assignment of components to x,y,z. Form [x component index, y component index, z component index], e.g. [0,2,1]
- **fit_dim** (*array*) – Array of length two containing two strings describing the first and second axis for fitting the model, e.g. ['x','z']
- **deg** (*int*) – (or None) Degree of the function that should be fit to the model. deg=2 by default
- **mm** – (*math_model* or None) Math model for primary channel
- **vertex** (*array*) – (or None) Array of type [vx,vy,vz] (*brain.vertex*) indicating the translation values
- **flip** (*Bool*) – (or None) Boolean value to determine if the data should be rotated by 180 degrees

pca_transform_3d (*df, pca, comp_order, fit_dim, deg=2, mm=None, vertex=None, flip=None*)

Transforms *df* in 3D based on the PCA object, *pca*, whose transformation matrix has already been calculated

Parameters

- **df** (*pd.DataFrame*) – Dataframe containing thresholded xyz data
- **pca** (*pca_object*) – A pca object containing a transformation object, e.g. *brain.pcamed*
- **comp_order** (*array*) – Array specifies the assignment of components to x,y,z. Form [x component index, y component index, z component index], e.g. [0,2,1]
- **fit_dim** (*array*) – Array of length two containing two strings describing the first and second axis for fitting the model, e.g. ['x','z']
- **deg** (*int*) – (or None) Degree of the function that should be fit to the model. deg=2 by default
- **mm** – (*math_model* or None) Math model for primary channel
- **vertex** (*array*) – (or None) Array of type [vx,vy,vz] (*brain.vertex*) indicating the translation values
- **flip** (*Bool*) – (or None) Boolean value to determine if the data should be rotated by 180 degrees

align_data (*df_fit, fit_dim, deg=2, mm=None, vertex=None, flip=None*)

Apply PCA transformation matrix and align data so that the vertex is at the origin

Creates *brain.df_align* and *brain.mm*

Parameters

- **df** (*pd.DataFrame*) – dataframe containing thresholded xyz data
- **comp_order** (*array*) – Array specifies the assignment of components to x,y,z. Form [x component index, y component index, z component index], e.g. [0,2,1]
- **fit_dim** (*array*) – Array of length two containing two strings describing the first and second axis for fitting the model, e.g. ['x','z']
- **deg** (*int*) – (or None) Degree of the function that should be fit to the model. deg=2 by default
- **mm** – (*math_model* or None) Math model for primary channel

- **vertex** (*array*) – (or None) Array of type [vx,vy,vz] (`brain.vertex`) indicating the translation values
- **flip** (*Bool*) – (or None) Boolean value to determine if the data should be rotated by 180 degrees

df_align

Dataframe containing point data aligned using PCA

mm

Math model object fit to data in brain object

flip_data (*df*)

Rotate data by 180 degrees

Parameters **df** (*dataframe*) – Pandas dataframe containing x,y,z data

Returns Rotated dataframe

fit_model (*df, deg, fit_dim*)

Fit model to dataframe

Parameters

- **df** (*pd.DataFrame*) – Dataframe containing at least x,y,z
- **deg** (*int*) – Degree of the function that should be fit to the model
- **fit_dim** (*array*) – Array of length two containing two strings describing the first and second axis for fitting the model, e.g. ['x','z']

Returns math model

Return type *math_model*

find_distance (*t, point*)

Find euclidean distance between math model(t) and data point in the xy plane

Parameters

- **t** (*float*) – float value defining point on the line
- **point** (*array*) – array [x,y] defining data point

Returns distance between the two points

Return type float

find_min_distance (*row*)

Find the point on the curve that produces the minimum distance between the point and the data point using `scipy.optimize.minimize(brain.find_distance())`

Parameters **row** (*pd.Series*) – row from dataframe in the form of a pandas Series

Returns point in the curve (xc, yc, zc) and r

Return type floats

integrand (*x*)

Function to integrate to calculate arclength

Parameters **x** (*float*) – integer value for x

Returns arclength value for integrating

Return type float

find_arclength (*xc*)

Calculate arclength by integrating the derivative of the math model in xy plane

$$\int_{vertex}^{point} \sqrt{1 + (2ax + b)^2}$$

Parameters **row** (*float*) – Position in the x axis along the curve

Returns Length of the arc along the curve between the row and the vertex

Return type float

find_theta (*row, zc, yc*)

Calculate theta for a row containing data point in relationship to the xz plane

Parameters

- **row** (*pd.Series*) – row from dataframe in the form of a pandas Series
- **yc** (*float*) – Y position of the closest point in the curve to the data point
- **zc** (*float*) – Z position of the closest point in the curve to the data point

Returns theta, angle between point and the model plane

Return type float

find_r (*row, zc, yc, xc*)

Calculate r using the Pythagorean theorem

Parameters

- **row** (*pd.Series*) – row from dataframe in the form of a pandas Series
- **yc** (*float*) – Y position of the closest point in the curve to the data point
- **zc** (*float*) – Z position of the closest point in the curve to the data point
- **xc** (*float*) – X position of the closest point in the curve to the data point

Returns r, distance between the point and the model

Return type float

calc_coord (*row*)

Calculate alpah, r, theta for a particular row

Parameters **row** (*pd.Series*) – row from dataframe in the form of a pandas Series

Returns pd.Series populated with coordinate of closest point on the math model, r, theta, and ac (arclength)

transform_coordinates ()

Transform coordinate system so that each point is defined relative to math model by (alpha,theta,r) (only applied to *brain.df_align*)

Returns appends columns r, xc, yc, zc, ac, theta to *brain.df_align*

subset_data (*df, sample_frac=0.5*)

Takes a random sample of the data based on the value between 0 and 1 defined for sample_frac

Creates the variable *brain.subset*

Parameters

- **pd.DataFrame** – Dataframe which will be sampled

- **sample_frac** (*float*) – (or None) Value between 0 and 1 specifying proportion of the dataset that should be randomly sampled for plotting

subset

Random sample of the input dataframe

add_thresh_df (*df*)

Adds dataframe of thresholded and transformed data to *brain.df_thresh*

Parameters *df* (*pd.DataFrame*) – dataframe of thresholded and transformed data

Returns *brain.df_thresh*

add_aligned_df (*df*)

Adds dataframe of aligned data

Warning: Calculates model, but assumes that the dimensions of the fit are x and z

Parameters *df* (*pd.DataFrame*) – Dataframe of aligned data

Returns *brain.df_align*

class *deltascopes.embryo* (*name, number, outdir*)

Class to managed multiple brain objects in a multichannel sample

Parameters

- **name** (*str*) – Name of this sample set
- **number** (*str*) – Sample number corresponding to this embryo
- **outdir** (*str*) – Path to directory for output files

chnls

Dictionary containing the *brain* object for each channel

outdir

Path to directory for output files

name

Name of this sample set

number

Sample number corresponding to this embryo

add_channel (*filepath, key*)

Add channel to *embryo.chnls* dictionary

Parameters

- **filepath** (*str*) – Complete filepath to image
- **key** (*str*) – Name of the channel

process_channels (*thresh, gthresh, radius, scale, microns, deg, primary_key, comp_order, fit_dim*)

Process all channels through the production of the *brain.df_align* dataframe

Parameters

- **thresh** (*float*) – Value between 0 and 1 to use as a cutoff for minimum pixel value for median data

- **gthresh** (*float*) – Value between 0 and 1 to use as a cutoff for minimum pixel value for general data
- **radius** (*int*) – Size of the neighborhood area to examine with median filter
- **scale** (*array*) – Array with three values representing the constant by which to multiply x,y,z respectively
- **microns** (*array*) – Array with three values representing the x,y,z micron dimensions of the voxel
- **deg** (*int*) – Degree of the function that should be fit to the model
- **primary_key** (*str*) – Key for the primary structural channel which PCA and the model should be fit too
- **comp_order** (*array*) – Array specifies the assignment of components to x,y,z. Form [x component index, y component index, z component index], e.g. [0,2,1]
- **fit_dim** (*array*) – Array of length two containing two strings describing the first and second axis for fitting the model, e.g. ['x','z']

save_projections (*subset*)

Save projections of both channels into png files in *embryo.outdir* following the naming scheme *[embryo.name]_[embryo.number]_[channel name]_MIP.png*

Parameters *subset* (*float*) – Value between 0 and 1 to specify the fraction of the data to randomly sample for plotting

save_psi ()

Save all channels into psi files following the naming scheme *[embryo.name]_[embryo.number]_[channel name].psi*

add_psi_data (*filepath, key*)

Read psi data into a channel dataframe

Parameters

- **filepath** (*str*) – Complete filepath to data
- **key** (*str*) – Descriptive key for channel dataframe in dictionary

class *deltascope.math_model* (*model*)

Object to contain attributes associated with the math model of a sample

Parameters *model* (*array*) – Array of coefficients calculated by np.polyfit

cf

Array of coefficients for the math model

p

Poly1d function for the math model to allow calculation and plotting of the model

deltascope.find_anchors (*df, dim*)

Parameters *dim* (*str*) – either y or z

class *deltascope.landmarks* (*percbins=[10, 50, 90], rnull=15*)

Class to handle calculation of landmarks to describe structural data

Parameters

- **percbins** (*list*) – (or None) Must be a list of integers between 0 and 100
- **rnull** (*int*) – (or None) When the r value cannot be calculated it will be set to this value

`brain.lm_wt_rf`
pd.DataFrame, which wildtype landmarks will be added to

`brain.lm_mt_rf`
pd.DataFrame, which mutant landmarks will be added to

`brain.rnull`
Integer specifying the value which null landmark calculations will be set to

`brain.percbins`
Integer specifying the percentiles which will be used to calculate landmarks

`calc_bins` (*Ldf, ac_num, tstep*)
Calculates alpha and theta bins based on `ac_num` and `tstep`
Creates `landmarks.acbins` and `landmarks.tbins`

Warning: `tstep` does not handle scenarios where 2π is not evenly divisible by `tstep`

Parameters

- **Ldf** (*dict*) – Dict dataframes that are being used for the analysis
- **ac_num** (*int*) – Integer indicating the number of divisions that should be made along alpha
- **tstep** (*float*) – The size of each bin used for alpha

acbins

List containing the boundaries of each bin along alpha based on `ac_num`

tbins

List containing the boundaries of each bin along theta based on `tstep`

`calc_perc` (*df, snum, dtype, out*)

Calculate landmarks for a dataframe based on the bins and percentiles that have been previously defined

Parameters

- **df** (*pd.DataFrame*) – Dataframe containing columns x,y,z,alpha,r,theta
- **snum** (*str*) – String containing a sample identifier that can be converted to an integer
- **dtype** (*str*) – String describing the sample group to which the sample belongs, e.g. control or experimental

Returns pd.DataFrame with new landmarks appended

`calc_wt_reformat` (*df, snum*)

Warning: Deprecated function, but includes code pertaining to calculating point based data

`calc_mt_landmarks` (*df, snum, wt*)

Warning: Deprecated function, but attempted to calculate mutant landmarks based on the number of points found in the wildtype standard

`deltascope.reformat_to_cart(df)`

Take a dataframe in which columns contain the bin parameters and convert to a cartesian coordinate system

Parameters `df` (`pd.DataFrame`) – Dataframe containing columns with string names that contain the bin parameter

Returns `pd.DataFrame` with each landmark as a row and columns: `x,y,z,r,r_std,t,pts`

`deltascope.convert_to_arr(xarr, tarr, DT, mdf, Ldf=[])`

Convert a pandas dataframe containing landmarks as columns and samples as rows into a 3D numpy array

The columns of `mdf` determine which landmarks will be saved into the array. Any additional dataframes that need to be converted can be included in `Ldf`

Parameters

- **xarr** (`np.array`) – Array containing all unique x values of landmarks in the dataset
- **tarr** (`np.array`) – Array containing all unique t values of landmarks in the dataset
- **DT** (`str`) – Either `r` or `pts` indicating which data type should be saved to the array
- **mdf** (`pd.DataFrame`) – Main landmark dataframe containing landmarks as columns and samples as rows
- **Ldf** (`list`) – List of additional `pd.DataFrame`s that should also be converted to arrays

Returns Array of the main dataframe and list of arrays converted from `Ldf`

`deltascope.calc_variance(anum, dfs)`

Calculate the variance between samples according to bin position and variance between adjacent bins

Parameters

- **anum** (`int`) – Number of bins which the arclength axis should be divided into
- **dfs** (`dict`) – Dictionary of `dfs` which are going to be processed

Returns Two arrays: `svar` (`anum,tnum`) and `bvar` (`anum*tnum,snum`)

Return type `np.array`

`deltascope.subplot_lmk(ax, p, avg, sem, parr, xarr, tarr, dtype, Pn={'alpha': 0.3, 'cmap': 'Greys_r', 'mtc': 'r', 'tarr': None, 'wtc': 'b', 'xarr': None, 'zfb': 1, 'zln': 2, 'zpt': 3})`

Plot a ribbon of average and standard error of the mean onto the subplot, `ax`

Parameters

- **ax** (`plt.Subplot`) – Matplotlib subplot onto which the data should be plotted
- **p** (`list`) – List of two theta values that should be plotted
- **avg** (`np.array`) – Array of shape (`xvalues,tvalues`) containing the average values of the data
- **sem** (`np.array`) – Array of shape (`xvalues,tvalues`) containing the standard error of the mean values of the data
- **parr** (`np.array`) – Array of shape (`xvalues,tvalues`) containing the p values for the data
- **dtype** (`str`) – String describing sample type
- **Pn** – Dictionary containing the following values:
'zln':2,'zpt':3,'zfb':1,'wtc':'b','mtc':'r','alpha':0.3,'cmap':'Greys_r'

Type `dict` or `None`

`deltascope.write_header(f)`

Writes header for PSI file with columns Id,x,y,z,ac,r,theta

Parameters `f` (*file*) – file object created by ‘open(filename,’w’)’

`deltascope.write_data(filepath, df)`

Writes data in PSI format to file after writing header using `write_header()`. Closes file at the conclusion of writing data.

Parameters

- **filepath** (*str*) – Complete filepath to output file
- **df** (*pd.DataFrame*) – dataframe containing columns x,y,z,ac,r,theta

`deltascope.read_psi(filepath)`

Reads psi file at the given filepath and returns data in a pandas DataFrame

Parameters **filepath** (*str*) – Complete filepath to file

Returns *pd.DataFrame* containing data

`deltascope.read_psi_to_dict(directory, dtype)`

Read psis from directory into dictionary of dfs with filtering based on dtype

Parameters

- **directory** (*str*) – Directory to get psis from
- **dtype** (*str*) – Usually ‘AT’ or ‘ZRF1’

Returns Dictionary of *pd.DataFrame*

`deltascope.process_sample(num, root, outdir, name, chs, prefixes, threshold, scale, deg, primary_key, comp_order, fit_dim, flip_dim)`

Process single sample through `brain` class and saves df to csv

Warning: Out of date and will probably fail
--

Parameters

- **num** (*str*) – Sample number
- **root** (*str*) – Complete path to the root directory for this sample set
- **name** (*str*) – Name describing this sample set
- **outdir** (*str*) – Complete path to output directory
- **chs** (*array*) – Array containing strings specifying the directories for each channel
- **prefixes** (*array*) – Array containing strings specifying the file prefix for each channel
- **threshold** (*float*) – Value between 0 and 1 to use as a cutoff for minimum pixel value
- **scale** (*array*) – Array with three values representing the constant by which to multiply x,y,z respectively
- **deg** (*int*) – Degree of the function that should be fit to the model
- **primary_key** (*str*) – Key for the primary structural channel which PCA and the model should be fit too

`deltascope.calculate_models(Ldf)`

Calculate model for each dataframe in list and add to new dataframe

Parameters **Ldf** (*list*) – List of dataframes containing aligned data

Returns `pd.DataFrame` with a,b,c values for parabolic model

`deltascope.generate_kde` (*data*, *var*, *x*, *absv=False*)

Generate list of KDEs from either dictionary or list of data

Parameters

- **data** – `pd.DataFrames` to convert
- **var** (*str*) – Name of column to select from df
- **x** (*array*) – Array of datapoints to evaluate KDE on
- **absv** (*bool*) – (or None) Set to True to use absolute value of selected data for KDE calculation

Type dict or list

Returns List of KDE arrays

`deltascope.calculate_area_error` (*pdf*, *Lkde*, *x*)

Calculate area between PDF and each kde in Lkde

Parameters

- **pdf** (*array*) – Array of probability distribution function that is the same shape as kdes in Lkde
- **Lkde** (*list*) – List of arrays of Kdes
- **x** (*array*) – Array of datapoints used to generate pdf and kdes

Returns List of error values for each kde in Lkde

`deltascope.rescale_variable` (*Ddfs*, *var*, *newvar*)

Rescale variable from -1 to 1 and save in newvar column on original dataframe

Parameters

- **Ddfs** (*dict*) – Dictionary of `pd.DataFrames`
- **var** (*str*) – Name of column to select from dfs
- **newvar** (*str*) – Name to use for new data in appended column

Returns Dictionary of dataframes containing column of rescaled data

class `deltascope.paramsClass` (*path=None*, *dparams=None*)

A class to read and validate parameters for multiprocessing transformation. Validated parameters can be read as attributes of the object

add_outdir (*path*)

Add out directory as an attribute of the class

Parameters **path** (*str*) – Complete path to the output directory

check_config (*D*, *path*)

Check that each parameter in the config file is correct and raise an error if it isn't

Parameters

- **D** (*dict*) – Dictionary containing parameters from the config file
- **path** (*str*) – Complete filepath to the config file

CHAPTER 7

Indices and tables

- `genindex`
- `modindex`
- `search`

d

`deltascope`, [26](#)

`deltascope.mpTransformation`, [26](#)

A

acbins (deltascopes.landmarks attribute), 34
add_aligned_df() (deltascopes.brain method), 32
add_channel() (deltascopes.embryo method), 32
add_outdir() (deltascopes.mpTransformation.paramsClass method), 26
add_outdir() (deltascopes.paramsClass method), 37
add_psi_data() (deltascopes.embryo method), 33
add_thresh_df() (deltascopes.brain method), 32
align_data() (deltascopes.brain method), 29
anum, 18, 20

B

brain (class in deltascopes), 26

C

c1-dir, 25
c1-key, 25, 26
calc_bins() (deltascopes.landmarks method), 34
calc_coord() (deltascopes.brain method), 31
calc_mt_landmarks() (deltascopes.landmarks method), 34
calc_perc() (deltascopes.landmarks method), 34
calc_variance() (in module deltascopes), 35
calc_wt_reformat() (deltascopes.landmarks method), 34
calculate_area_error() (in module deltascopes), 37
calculate_models() (in module deltascopes), 36
calculate_pca_median() (deltascopes.brain method), 28
calculate_pca_median_2d() (deltascopes.brain method), 28
cf (deltascopes.math_model attribute), 33
check_config() (deltascopes.mpTransformation.paramsClass method), 26
check_config() (deltascopes.paramsClass method), 37
check_nums() (in module deltascopes.mpTransformation), 26
chnls (deltascopes.embryo attribute), 32
comporder, 15, 16, 23
convert_to_arr() (in module deltascopes), 35
create_dataframe() (deltascopes.brain method), 27

D

deg, 16
deltascopes (module), 26
deltascopes.mpTransformation (module), 26
df_align (deltascopes.brain attribute), 30
df_scl (deltascopes.brain attribute), 27
df_thresh (deltascopes.brain attribute), 27

E

embryo (class in deltascopes), 32
environment variable
 anum, 18, 20, 23
 c1-dir, 25
 c1-key, 25, 26
 c2-dir, 25
 c2-key, 25
 c3-dir, 25
 c3-key, 25
 c4-dir, 25
 c4-key, 26
comporder, 15, 16, 23
deg, 16, 23
expname, 25
fitdim, 16, 23
genthresh, 13, 14, 16, 22, 23
medthresh, 14, 16, 22
micron, 13
microns, 22
percbins, 18, 24
radius, 16, 23
rootdir, 25
scale, 13, 22
tsize, 18, 23
twoD, 26

F

find_anchors() (in module deltascopes), 33
find_arclength() (deltascopes.brain method), 30
find_distance() (deltascopes.brain method), 30

find_min_distance() (deltascopes.brain method), 30
find_r() (deltascopes.brain method), 31
find_theta() (deltascopes.brain method), 31
fit_model() (deltascopes.brain method), 30
fitdim, 16, 23
flip_data() (deltascopes.brain method), 30

G

generate_kde() (in module deltascope), 37
genthresh, 13, 14, 16, 23

I

integrand() (deltascopes.brain method), 30

L

landmarks (class in deltascope), 33
lm_mt_rf (deltascopes.landmarks.brain attribute), 34
lm_wt_rf (deltascopes.landmarks.brain attribute), 33

M

math_model (class in deltascope), 33
median (deltascopes.brain attribute), 28
medthresh, 14, 16
micron, 13
microns, 22
mm (deltascopes.brain attribute), 30

N

name (deltascopes.embryo attribute), 32
number (deltascopes.embryo attribute), 32

O

outdir (deltascopes.embryo attribute), 32

P

p (deltascopes.math_model attribute), 33
paramsClass (class in deltascope), 37
paramsClass (class in deltascope.mpTransformation), 26
pca_transform_2d() (deltascopes.brain method), 28
pca_transform_3d() (deltascopes.brain method), 29
pcamed (deltascopes.brain attribute), 28
percbins, 18
percbins (deltascopes.landmarks.brain attribute), 34
plot_projections() (deltascopes.brain method), 27
preprocess_data() (deltascopes.brain method), 27
process() (in module deltascope.mpTransformation), 26
process_alignment_data() (deltascopes.brain method), 27
process_channels() (deltascopes.embryo method), 32
process_sample() (in module deltascope), 36

R

radius, 16, 23
raw_data (deltascopes.brain attribute), 27

read_data() (deltascopes.brain method), 26
read_psi() (in module deltascope), 36
read_psi_to_dict() (in module deltascope), 36
reformat_to_cart() (in module deltascope), 35
rescale_variable() (in module deltascope), 37
rnull (deltascopes.landmarks.brain attribute), 34

S

save_projections() (deltascopes.embryo method), 33
save_psi() (deltascopes.embryo method), 33
scale, 13
setup_test_data() (deltascopes.brain method), 26
subplot_lmk() (in module deltascope), 35
subset (deltascopes.brain attribute), 32
subset_data() (deltascopes.brain method), 31

T

tbins (deltascopes.landmarks attribute), 34
threshold (deltascopes.brain attribute), 27
transform_coordinates() (deltascopes.brain method), 31
tsize, 18

W

write_data() (in module deltascope), 36
write_header() (in module deltascope), 35